Polaris 1200

110
Pearl Oak

300
Tan Hardwood

510
Flax Oak

525
Silk Spotted Gum

545
Classic Blackbutt

555
Bright Spotted Gum

560
Hazel Blackbutt

570
Tawny Blackbutt

585
Brindle Spotted Gum

710
Silver Hardwood

735
Stony Blackbutt

790
Iron Spotted Gum

Specifications and colourations are subject to manufacturing tolerances. As part of the Godfrey Hirst continuous improvement program, Godfrey Hirst reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

Polaris 1200

The versatile Polaris range takes the look, feel and design of natural timber floors and adds a few extra touches. It is durable, easy to maintain and waterproof. The exquisite colour range provides endless options for a variety of interiors, including Australian species designs for a traditional look without the maintenance. Available in two sizes, Polaris 1200 is a shorter plank. All colours in this range are also available in the longer and thicker Polaris 1500 range.

Direct stick vinyl plank for a professional looking installation

Technical Data

Type:	Vinyl Plank Flooring
Total Product Thickness:	3mm
Units Per Box:	12
m² per pallet:	187.6
Finish:	Matte
Profile:	Square Edge
Installation Method:	Direct Stick

Dimensions:	1219mm x 228mm
Wear Layer:	0.5mm
m² per box:	3.35
Colours:	12
Surface:	Embossed
Coating System:	PUR

Performance

Dimensional Stability:	(ISO 23999) Length: 0.05%, Width: 0.05%, Curling: 0.00%
Abrasion Rating:	(EN 660-2) Group T
Light Fastness:	(EN ISO 105-B02) 6-7
Flammability:	(EN ISO 9239) CRF 10.0kW/m2
Slip Resistance:	(AS 4586) P5

Thermal Conductivity:	TBA
Impact Sound Reduction:	Please refer to Godfrey Hirst Acoustic Performance specification sheet
Light Reflectance Values:	110 - 31.89 I 300 - 20.07 I 510 - 28.06 I 525 - 20.60 I 545 - 13.37 I 555 - 13.70 I 560 - 18.15 I 570 - 9.60 I 585 - 8.64 I 710 29.61 I 735 - 14.38 I 790 - 10.41
Smoke Value:	Direct Stick: (EN ISO 9239) 132% minutes I With Underlay: (EN ISO 9239) 184% minutes
Warranty:	25 Year Vinyl Plank Limited Residential Warranty*

Sustainability

Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.
Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits

Godfrey Hirst Best Seller

Matte Finish

ISO 9001 Quality Management System

ISO 14001 Environment Management System

Embossed

Square Edge

Polaris 1200

Affordable

Colour Variation

0.5mm Wear Layer

Celebrating Australian Species

ECS Level 1

Waterproof Surface

Waterproof Core

Waterproof

25 Year Vinyl Plank Limited Residential Warranty*

Polaris 1200

All Godfrey Hirst vinyl Plank products must be installed in accordance with relevant Australian Standards and in conjunction with the Godfrey Hirst Vinyl Plank Flooring Installation Instructions.
*This product comes with a residential warranty for new product installed indoors in a residential home, if properly installed and maintained. This warranty is in addition to consumers' rights under the statutory consumer guarantee provisions in the Australian Consumer Law, which may exceed the rights under this warranty. The amount recoverable under the warranty decreases after five years. For full information in respect to the scope and limitations of this warranty, please refer to the to the full terms and conditions available from your retailer, by calling 1300 444 778, or by download from www.godfreyhirst.com.
†Terms and conditions apply to all commercial warranties - contact your GH Commercial Account Manager.